



NEECO II-Area 2, Inc.

AAA-Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040

December 4, 2025

“Supply and Delivery of Tools & Equipment’s for NEECO II AREA2”

Dated ITB – November 14, 2025

SUPPLEMENTAL BULLETIN NO. 1

TO : **ALL REGISTERED BIDDERS**


This bulletin is issued to modify/amend items in the Bidding Documents. This shall form an integral part of the Bidding Documents, to wit:

This document addresses the clarifications on the specifications of the Supply and Delivery of Tools & Equipment’s for NEECO II AREA2, during the Pre-Bid Conference on November 25, 2025 at the NEECO II – Area 2 Main Office.

Main Concerns:

• **Delivery Schedule:**

- LINEMAN TOOLS (LOT A) with delivery period changed from thirty (30) days to ninety (90) days from issuance of Purchase Order.
- EQUIPMENT (LOT B) with delivery period changed from thirty (30) days to one hundred twenty (120) days from issuance of Purchase Order.


JOCELYN S. PADERES
PBAC Chairman



NEECO II-Area 2, Inc.

AAA Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040

Grounding Cluster – (LOT A) ITEM# 12

Electrical and Mechanical Characteristics		Catalog Reference
		RHG4228-16SJ
Description		Aluminum body Serrated jaw Fixed to 1-1/4" x 6' RITZGLAS® tube Cable connection through plain ferrule. Allow operation at continuous angles up to 75 °
Rated Current (A)		400
Short circuit Current (Icc)	30 cycles (kA)	30
	60 cycles (kA)	23
Connection	Maximum	Ø 2.87"
	Minimum	2 Cu Ø 0.26"
Cable Ferrule AWG)	Maximum	4/0
	Minimum	5
Installation Torque (daN.m)		3.0
ASTM Designation		Type II Class B Grade 5
Approx. Weight (kg / lb)		3.30 / 7.28



Corporate e-mail: neecoii_area2@yahoo.com | Telefax: (044) 940 9040 | Website: neeco2area2.com

Facebook: /neeco2a2 | Substation Hotline: Santa Rosa – 0932 889 3445 Bongabon – 0932 889 3447

San Leonardo – 0932 889 3446 Peñaranda – 0925 688 8944 Gabaldon – 0925 7313 816 Gen. Natividad – 0932 8893 448

Corporate Thrust: Vision – An Energy-Secured Community Banking On A Smart Electric Cooperative

Mission – To Deliver Quality Electric Services And Programs Anchored On Strong Partnerships Towards Community Development

Core Values – Solidarity, Productivity, Integrity, Courtesy, and Excellence





NEECO II-Area 2, Inc.

AAA Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040

Grounding Cluster - (LOT A) ITEM# 12

Catalog Number	G422810SJ	†HG422816SJ
----------------	-----------	-------------


ELECTRICAL RATINGS

Continuous Current (AMPS)	400	400
Fault Current - 15 Cycles (AMPS)	43,000	43,000
Fault Current - 30 Cycles (AMPS)	30,000	30,000

MECHANICAL RATINGS

Recommended Torque (in.-lb.)	250	250
Main Line Range - Max.	2.88"	2.88"
Main Line Range - Min.	#2 Cu. (.258")	#2 Cu. (.258")
Jumper Range - Max.	4/0 Grd. Cable	4/0 Grd. Cable
Jumper Range - Min.	#2 Grd. Cable	#2 Grd. Cable
Weight Each	3 1/4 lb. / 1.5 kg.	5 1/4 lb. / 2.4 kg.
ASTM Designation	Type I Class B Grade 5	Type I Class B Grade 5
Jaws	Serrated	Serrated
Ferrule	Plain Plug	Plain Plug

†Mounted Clamps supplied with 1 1/4" x 6' Epoxiglas® Pole.



Corporate e-mail: neecoii_area2@yahoo.com | Telefax: (044) 940 9040 | Website: neeco2area2.com

Facebook: /neeco2a2 | Substation Hotline: Santa Rosa – 0932 889 3445 Bongabon – 0932 889 3447

San Leonardo – 0932 889 3446 Peñaranda – 0925 688 8944 Gabaldon – 0925 7313 816 Gen. Natividad – 0932 8893 448

Corporate Thrust: Vision – An Energy-Secured Community Banking On A Smart Electric Cooperative

Mission – To Deliver Quality Electric Services And Programs Anchored On Strong Partnerships Towards Community Development

Core Values – Solidarity, Productivity, Integrity, Courtesy, and Excellence





NEECO II-Area 2, Inc.
AAA Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040

Single Pulley – (LOT A) ITEM # 25

Model : LPBS-S
S.W.L : 4 Tons
Sheave Size (Ø) : 8"
Wire Rope Size : 22mm
Overall Size : 590.5 x 226 x 128



Single Pulley

Catalog Reference	Description	Rated Work Capacity		Approx. Weight.	
		daN	lb	kg	lb
RC417-6067	For ropes up to Ø 5/8", with forged steel hook and safety lock	1134	2500	2.6	5.7



RC417-6067





NEECO II-Area 2, Inc.

AAA Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040

Fluke 355 Clamp Meter, 2000A dc, Max Current 2000A ac CAT III 1000V – (LOT B) ITEM 4 & 5

Electrical Specifications

Current measurement DC and AC 10 Hz to 100 Hz

Current measurement AC 100.1 Hz to 1 kHz

Range 40 A / 400 A / 2000 A; 1400 AC RMS

Resolution 10 mA / 100 mA / 1 A

Frequency measurement

Measurement range 5.0 Hz to 1 kHz

Resolution 0.1 Hz (15 Hz to 399.9 Hz); 1 Hz (400 Hz to 1 kHz)

Accuracy – 5.0 Hz to 100 Hz 0.2% + 2 counts

Accuracy – 100.1 Hz to 1 kHz 0.5% + 5 counts

General Specifications

Batteries Six 1.5 V AA NEDA 15 A or IEC LR6

Battery life (with typical usage, backlight off) 100 hours

Test leads Rated up to 1000 V

Weight 0.814 kg (1.8 lb)

Jaw size 58 mm (2.28 in)

Dimensions (L x W x D) 300 x 98 x 52 mm (12 x 3.75 x 2 in)

Safety rating IEC 61010-2-032, 600 V CAT IV, 1000 V CAT III



Corporate e-mail: neecoi_area2@yahoo.com | Telefax: (044) 940 9040 | Website: neeco2area2.com

Facebook: /neeco2a2 | Substation Hotline: Santa Rosa – 0932 889 3445 Bongabon – 0932 889 3447

San Leonardo – 0932 889 3446 Peñaranda – 0925 688 8944 Gabaldon – 0925 7313 816 Gen. Natividad – 0932 8893 448

Corporate Thrust: Vision – An Energy-Secured Community Banking On A Smart Electric Cooperative

Mission – To Deliver Quality Electric Services And Programs Anchored On Strong Partnerships Towards Community Development

Core Values – Solidarity, Productivity, Integrity, Courtesy, and Excellence





NEECO II-Area 2, Inc.

AAA- Classified by National Electrification Administration
Mega Large Electric Cooperative – 10 Towns and 1 City

Headquarters: Maharlika Highway, Diversion,
San Leonardo, 3102 Nueva Ecija, Philippines
Main Phone Number: (044)-940-9040


HIGH VOLTAGE AMMETERS- (LOT B) ITEM # 12

FEATURES

- Quickly take current reading on system voltages up to 69kV
- Take spot-load checks with ease
- Verify phases are balanced
- Peak Hold mode (HALO I) Tracking and Peak Hold modes (HALO II)
- Versatile for overhead and underground applications

SPECIFICATIONS

Operating Voltage Range	Up to 69kVAC line-to-line
Measurement Range Amps	Low range: 0.1 to 199.9 Amps; High range: 199.9 to 1,999
Operating Frequency	2S-1000Hz
Operating Temperature Range	O'F to +122°F (-18°C to +50°C)
Display	3.5-digit LCD, 0.5" (13 mm) high characters
Accuracy	+/- 3% of reading +/- 3 counts
Battery	9V field replaceable lithium or alkaline battery
Battery Life	40+ hours of continuous operation
Weight	2 lb 13 oz (1.28 kg)
Dimensions - 8280 and 9390 models	Maximum hook opening: 2.3' (5.8 cm) Maximum hook depth: 3.7' (9.4 cm) Tube dimensions: 18' L x 1.75' Diameter (45.7 cm x 4.5 cm) Overall length: 28' (71 cm)
Dimensions - 8281 and 9391 models	Outside fork dimension: 8.5' Lx 5.5' W x t. 1875" Thick (22 cm x 14 cm x 3 cm) Inside fork dimension: 2.75' W x 5.5' Deep (7 cm x 14 cm) Tube dimensions: 18' L x 1.75' Dia. (45.7 cm x 4.4 cm) Overall length: 28" (71cm)



Corporate e-mail: neecoii_area2@yahoo.com | Telefax: (044) 940 9040 | Website: neeco2area2.com

Facebook: /neeco2a2 | Substation Hotline: Santa Rosa – 0932 889 3445 Bongabon – 0932 889 3447

San Leonardo – 0932 889 3446 Peñaranda – 0925 688 8944 Gabaldon – 0925 7313 816 Gen. Natividad – 0932 8893 448

Corporate Thrust: Vision – An Energy-Secured Community Banking On A Smart Electric Cooperative

Mission – To Deliver Quality Electric Services And Programs Anchored On Strong Partnerships Towards Community Development

Core Values – Solidarity, Productivity, Integrity, Courtesy, and Excellence

